Empovering what matters. Empovering hoses.



### 5. EMPOWERING HOSES

## **ARION** HANDY

# TO FOCUS ON DETAILS

Because even the best talent sometimes needs help.

A simple, safe and reliable solution that will help you to improve those processes that need a high level of detail, and that we apply manually today. A new possibility to improve what we do, making people and machines merge. The solution you need for manual applicators.



#### **ADVANTAGES**



Semi-automation of processes



Facilitates application



Operator protection




Improves process efficiency



Increases the quality of your product

### **CHARACTERISTICS**



**USES** 

Specialized in:

Assembly / Mattresses

Applications:

Manual operations. Details and good finishes

Markets:

Textiles, Automotive, Packaging, Assembly, Mattresses, Wood, Graphic arts, Construction.







**SPECIFICATIONS** 

\*Version for bead and swirl without internal air hose: Ø8 y Ø13

\*Version for swirl (internal air hose): Ø10

Diameter

Lengths

Maximum pressure 200°C (bar)

Hydraulic connection (female)

8,10 and 13 mm

From 0.6 to 14m

130(Ø8), 120, (Ø10), 105(Ø13)

JIC 9/16" (Ø8 and Ø10); JIC 3/4" (Ø13)

Minimum bending radius (mm)

Consumption (Watt/m)

Voltage

Temperature sensor Max temp.

200(Ø8 and Ø10), 300(Ø13)

90-160

120/200/230V AC

200°C

Pt100, Ni120

